

## INDEX

- Accumulated plastic slip, 698  
Accumulated plastic strain, 145, 179, 183, 184  
Accuracy order, 211  
Almansi strain tensor, 54  
Alternating tensor, 24  
Angle of internal friction, *see* Frictional angle  
Angular velocity, 44  
Arc-length method, 107  
    computer implementation of, 120  
Armstrong-Frederick kinematic hardening law, 188, 190, 448, 480  
    at finite strains, 635, 644  
Array notation, *see* Matrix notation in finite elements  
Array of engineering strains, 93, 760  
Array of stress components, 88, 759  
Arrhenius law, 450  
Assembly operator, *see* Finite element assembly operator  
Associative hardening, 183, 184, 243, 267, 296  
    for multisurface models, 183  
Axial vector of a tensor, 25
- B-matrix, *see* Discrete gradient operator, symmetric  
Back-stress tensor, 185, 257, 480  
    Green-Naghdi rate of, 634  
    Oldroyd rate of, 645  
    spatial, 634  
Bauschinger effect, 185, 257, 420  
bcc crystal, 692  
Bending locking, 669  
BFGS scheme, *see* Quasi-Newton methods, BFGS scheme  
Bingham viscoplastic model, 447  
Biot strain tensor, 54  
Blatz-Ko material, 530  
Bodner-Partom viscoplastic model, 450  
Body force, 61  
    reference, 68  
Boundary traction, 68  
    reference, 68
- Brittle damage, 472  
Bulk modulus, 93
- Calorodynamic process, 69  
Cartesian components  
    of a tensor, 21  
    of a vector, 18  
Cartesian coordinate frame, 18  
Cartesian coordinates of a point, 18  
Cauchy elastic material, 520  
Cauchy stress tensor, 62  
Cauchy stress vector, 61  
Cauchy's axiom, 61  
Cauchy's equation of motion, 68  
Cauchy's theorem, 62, 67  
Cauchy-Green strain tensors, 50, 53  
Chain rule, 36  
Characteristic equation, 27  
Characteristic space, 25  
Clausius-Duhem inequality, 69, 149  
Closest point projection algorithm, 200  
Cohesion, 164  
Compaction pressure, 405  
Complementarity condition, 144, 147  
    discrete, 195  
Configuration-dependent load, 106  
Conservation of mass, 67, 499  
Consistency condition, 147, 152  
Consistent tangent matrix, 98  
Consistent tangent modulus, *see* Consistent tangent operator  
Consistent tangent operator, 192, 199  
    for a hyperelastic-damage model, 567  
    for a single crystal model implementation, 713  
    for elastoplasticity, 229  
    for finite strain multiplicative plasticity, 597, 601  
    with kinematic hardening, 642  
    for implicit return mappings, 238  
    capped Drucker-Prager model, 413  
    Drucker-Prager model, 337  
    Gurson model, 502

- Hoffman model, 433  
 Lemaitre damage model, 485  
 modified Cam-Clay model, 408  
 Mohr-Coulomb model, 316  
 simplified Lemaitre damage model, 490  
 Tresca model, 286  
 von Mises model, 232, 242, 262, 382, 383  
 for the damaged elasticity model, 510  
 for viscoplasticity, 458  
 at finite strains, 606  
 Perzyna type model, 466  
 single crystal model implementation, 725  
 von Mises-based model  
 implementation, 464  
 in plane stress, 366, 382  
 infinitesimal, 98, 754  
 material, 755  
 non-symmetry of, 409, 426  
 spatial, 104, 105, 756  
 symmetry property of, 243  
 Timoshenko elastoplastic beam, 401  
 Constitutive function, incremental, *see*  
 Incremental constitutive function  
 Constitutive functional, 70, 71  
 Constitutive initial value problem, 76  
 elastoplastic, 193  
 at finite strains, 590  
 plane stress, 359  
 incremental, *see* Incremental constitutive  
 problem  
 infinitesimal, 76  
 viscoplastic, 455  
 Continuum Damage Mechanics, 471, 473  
 Continuum elastoplastic tangent operator,  
 153, 235, 242, 243  
 for the Green-Naghdi rate-based model,  
 624  
 for the Jaumann rate-based model, 623  
 for the von Mises model, 234  
 symmetry of, 153, 244  
 Convected rate of stress, 621  
 Convergence criterion, finite element  
 equilibrium solution, 98  
 Crack closure effects, 504, 510  
 Creep, 436, 439  
 tertiary, 436, 474  
 Creep-damage, 474  
 Critical state line, 404  
 Cross product, *see* Vector product  
 Crystallographic slip, 579, 692, 695  
 Cutting plane method, 205, 208, 213  
 Damage, 436, 472  
 Damage effective stress, 474, 478  
 Damage energy release rate, 479  
 Damage mechanics problems, *see* Numerical  
 examples, damage mechanics  
 Damage models  
 anisotropic, 512  
 damaged elasticity law, 507  
 Gurson, 496  
 Gurtin-Francis, 560  
 hyperelasticity with damage, 557  
 Lemaitre, 478  
 simplified, 486  
 with crack closure, 511  
 Damage surface, 564  
 Damage tensor, 512  
 Damage threshold, 481, 490  
 Damage variable, 474-476  
 Deformation, 41  
 Deformation gradient, 46  
 determinant of, 48  
 elastoplastic multiplicative  
 decomposition of, 578  
 incremental, 127, 592  
 isochoric/volumetric split of, 49  
 polar decomposition of, 49  
 Determinant of a tensor, 23  
 Deviatoric plane (or  $\pi$ -plane), 160  
 Deviatoric projection tensor, 59  
 Deviatoric strain, *see* Strain deviator  
 Deviatoric stress, *see* Stress deviator  
 Differential-algebraic equations, 209  
 Differentiation, 32  
 Dilatancy, 175, 176  
 Dilatancy angle, 175-177, 185  
 Directional derivative, 32  
 Discrete gradient operator  
 spatial, 104  
 symmetric, 87  
 spatial, 103  
 Discretised virtual work equation, 88  
 linearised, 96  
 Dissipation function, 149, 452, 453  
 Dissipation potential, 74, 451, 453  
 Distortional elastic strain energy, 162  
 Divergence, 37  
 material, 46  
 spatial, 46  
 Divergence theorem, 37  
 Ductile damage, 472  
 Effective plastic strain, *see* Accumulated  
 plastic strain  
 Eigenprojection, 26  
 Eigenvalue, 25

- Eigenvector, 25  
 Elastic deformation gradient, 578  
 Elastic domain, 140, 143, 150  
 for multisurface models, 156  
 Elastic predictor/return mapping algorithm,  
 196, 199  
 for a Timoshenko beam model, 400  
 for finite strain Green-Naghdi  
 rate-based models, 632  
 for finite strain Jaumann rate-based  
 models, 631  
 for finite strain multiplicative plasticity,  
 590  
 in plane stress, 602  
 with kinematic hardening, 637  
 for finite strain single crystal plasticity,  
 699  
 planar double-slip model, 707  
 for the Barlat-Lian model, 431  
 for the capped Drucker-Prager model,  
 412  
 for the Drucker-Prager model, 324  
 plane stress, 363  
 for the Gurson model, 501  
 for the Hoffman model, 424  
 for the Lemaitre damage model, 482  
 for the modified Cam-Clay model, 406  
 for the Mohr-Coulomb model, 297  
 for the simplified Lemaitre damage  
 model, 486  
 for the Tresca model, 268  
 for the von Mises model, 215, 221  
 in plane stress, 364, 373  
 with mixed hardening, 258  
 for viscoplasticity, 456  
 at finite strains, 606  
 Perzyna-type model, 466  
 von Mises-based model, 460  
 Elastic rotation, 579  
 Elastic strain, 142, 148  
 logarithmic, 582  
 Elastic stretch, 579  
 Elastic trial hardening force, 196  
 Elastic trial state, 196, 424, 593  
 Elastic trial stress, 196  
 Elastic velocity gradient, 580  
 Elasticity  
 linear, *see* Linear elasticity  
 orthotropic, 423  
 plane stress, 358  
 Elasticity matrix, 93  
 Elasticity tensor  
 first, 755  
 infinitesimal, 93  
 spatial, 534, 756  
 Blatz-Ko model, 537  
 Hencky model, 537  
 Ogden model, 535  
 Elastoplastic tangent modulus, 147  
 Engineering strains, *see* Array of engineering  
 strains  
 Enhanced assumed strain finite elements, 669  
 Equilibrium path, 107  
 Equivalent plastic strain, *see* Accumulated  
 plastic strain  
 Error map, *see* Iso-error map  
 Essential boundary condition, 79  
 Euler method  
 backward, 194, 213, 455, 591  
 forward, 207  
 Eulerian strain, 54  
 Eulerian triad, 52  
 Exponential map integrator, 591, 700, 724,  
 751  
 Exponential of a tensor, *see* Tensor  
 exponential function  
 External force vector, 88  
 Fatigue damage, 472  
 F-bar finite elements, 648  
 F-bar-Patch finite elements, 665  
 fcc crystal, 692  
 Filled rubbers, 473, 557  
 Finite element assembly operator, 89  
 Finite element equilibrium equation, *see*  
 Discretised virtual work equation  
 Finite element mesh, 85  
 Finite step accuracy, 212, 213  
 First Piola-Kirchhoff stress, 65  
 First principle of thermodynamics, 68  
 Flow potential, 151  
 non-smooth, 155  
 Flow rule, 150  
 associative, 152  
 associative Barlat-Lian, 430  
 associative Hill, 420  
 associative Hoffman, 422  
 associative Tresca, 171, 267  
 based on Drucker-Prager function, 175  
 based on modified Cam-Clay function,  
 405  
 based on Mohr-Coulomb function, 173  
 derived from a flow potential, 151  
 finite strain multiplicative plasticity, 584  
 for associative multisurface models, 157  
 for single crystals, 695  
 for the capped Drucker-Prager model,  
 410  
 for the Gurson model, 498  
 Prandtl-Reuss, 171

- uniaxial, 144
- viscoplastic, 450
  - one-dimensional, 438
- Flow vector, 150
  - derived from a flow potential, 151
  - derived from a non-smooth flow potential, 155
- Fourth-order tensor, 29
- Frame invariance, *see* Material objectivity
- Free-energy, 69
  - for an elastoplastic material, 148
  - for finite strain hyperelasticity, 520
  - for the Lemaitre damage model, 478
  - isotropic, 521
- Frictional angle, 164, 175, 185
- G-matrix, *see* Discrete gradient operator, spatial
- Gaussian quadrature, 89
- Geometric stiffness, *see* Stiffness matrix, geometric
- Gradient of a field, 32
- Green-Lagrange strain tensor, 53
- Green-Naghdi rate of stress, 621
- Gurson porous plasticity model, *see* Damage models, Gurson
- Gurtin-Francis damage model, *see* Damage models, Gurtin-Francis
- Hardening, 140
- Hardening curve, 145, 179, 181
- Hardening modulus, 147
  - generalised, 150
  - linear isotropic, 182
  - linear kinematic, 186
- Hardening slope, *see* hardening modulus
- Hardening, derived from a flow potential, 151
- Hardening, derived from a non-smooth flow potential, 155
- Hardening, general model, 150
- Hardening, uniaxial model, 145
- Heaviside step function, 221
- Helmholtz free-energy, *see* Free-energy
- Hencky material, 528
  - in plane stress, 532
- Hencky strain tensor, *see* Logarithmic strain tensor
- Homogeneous deformation, 47
- hpc crystal, 692
- Hu-Washizu variational principle, 669
- Hughes-Winget algorithm, 631
- Hydrostatic stress, 64
- Hyperelasticity, 520
  - compressible regularisation, 525

- in plane stress, *see* Plane stress
  - hyperelasticity
  - incompressible, 524
  - isotropic, 521
- Hyperelasticity problems, *see* Numerical examples, finite hyperelasticity
- Hyperelasticity with damage, *see* Damage models, hyperelasticity with damage
- HYPLAS program
  - data input and initialisation, 117
  - elements, implementation and management, 128-131
  - global database, 117
  - increment cutting, 123
  - load incrementation, 120
  - main program, 117
  - material models, implementation and management, 131-135
- HYPLAS subprograms:
  - ARCLEN, 109, 120, 122-124
  - CONVER, 100, 109
  - CSTEP2, 601
  - CSTOGD, 542, 545, 546
  - CSTPDS, 713
  - CTDAMA, 486, 491
  - CTDMEL, 510
  - CTDP, 324, 337, 340, 342, 343
  - CTDPPN, 366
  - CTMC, 295, 315, 318, 319, 324, 342
  - CTOGD, 134, 538
  - CTTR, 266, 283, 291, 294, 295, 324, 599
  - CTVM, 134, 235, 364-366, 383, 569, 599
  - CTVMXX, 257, 263
  - CTVMPS, 383, 384
  - DEXPKP, 702
  - DGIS02, 287, 289, 291, 295, 317, 731, 737, 738
  - DIS02, 537, 599, 731
  - DPLFUN, 228, 238
  - ELEIIF, 125, 126, 128, 129, 131
  - ELEIST, 100, 109, 129, 131
  - ERRPRT, 119, 227
  - FRONT, 100, 109, 120, 123, 124, 129
  - IFFB2, 538
  - IFFBA2, 129, 656
  - IFSTD2, 100, 128, 129, 538, 656
  - INCREM, 120
  - INDATA, 118, 119, 129
  - ININCR, 118
  - INITIA, 119, 120
  - INLOAD, 118, 119, 129
  - INTFOR, 100, 109, 124, 126
  - IS02, 731
  - LENGTH, 121

- MATICT, 134, 135, 235, 237, 569, 601
- MATIOR, 135
- MATIRD, 132, 135
- MATISU, 100, 128, 133, 135, 224, 227, 596
- MATISW, 120, 134, 135
- ORDAMA, 486
- ORVM, 135
- OUTPUT, 125
- PLFUN, 228
- RDDAMA, 486
- RDDP, 337
- RDMC, 315
- RDOGD, 541
- RDTR, 283
- RDVM, 227
- RSQ4, 129
- RST3, 129
- RSTART, 118, 125
- SFQ4, 130
- SFT3, 130
- SHPFUN, 130
- SPDEC2, 731, 735
- STFBA2, 129, 656
- STSTD2, 100, 128, 129, 656
- SUDAMA, 486, 490
- SUDMEL, 509
- SUDP, 324, 329-334, 337, 340, 342
- SUDPPN, 363
- SUFAIL, 227
- SUMC, 295, 303-310, 315, 316, 318, 319, 324, 334, 337
- SUOGD, 528, 531, 536, 538, 541, 542, 567
- SUPDSC, 708
- SUPGD, 538
- SUTR, 128, 273, 274, 276-279, 282, 283, 291, 294, 310, 315
- SUVK, 133, 224, 235, 261, 310, 364, 567, 569, 596
- SUVVXX, 257, 261
- SUVVPS, 133, 376, 378, 379
- SWDAMA, 486
- SWITCH, 124, 125
- SWOGD, 134
- SWVM, 134
- UPCONF, 100, 109
- Identity tensor
  - of fourth-order, 31
  - symmetric, 31
  - of second order, 19
- Incremental boundary value problem
  - at finite strains, 103
  - infinitesimal, 95

- Incremental constitutive function, 95, 102, 127, 133, 192, 229, 598
  - for elastoplasticity, 230
  - for the viscoplastic von Mises-based model, 464
  - for the von Mises model, 220, 223, 233, 260
- Incremental constitutive problem
  - of finite strain multiplicative plasticity, 592
  - of infinitesimal elastoplasticity, 194
- Incremental displacement vector, 98
- Incremental finite element equilibrium equations
  - at finite strains, 103
  - infinitesimal, 96
- Incremental objectivity, 625
- Incremental plastic multiplier, 195
- Incremental potential, 243
- Indicator function, 452
- Infinitesimal deformation, 57
- Infinitesimal strain tensor, 57
- Initial boundary value problem, 79
  - infinitesimal, 81
  - material, 80
  - spatial, 79
- Initial stiffness method, 99
- Initial yield stress, 182
- Inner product of tensors, 22
- Inner product of vectors, 17
- Intermediate configuration, *see* Plastic intermediate configuration
- Internal force vector, 88, 192
- Internal variables, 72
- Interpolation function, *see* Shape function
- Interpolation matrix, 87
- Invertible tensor, 23
- Iso-error map, 214, 215
  - implicit Drucker-Prager model implementation, 337
  - implicit Lemaitre model implementation, 483
  - implicit Mohr-Coulomb model implementation, 315
  - implicit Tresca model implementation, 283
  - viscoplastic von Mises-based model implementation, 463
- Isochoric deformation, 48
- Isoparametric finite element, 90
- Isotropic hardening, 178, 448
- Isotropic scalar function, 731
- Isotropic solid, 71
- Isotropic tensor, 30
- Isotropic tensor function, 287, 316, 733

- J*-integral, 479  
 $J_2, J_3$ -invariants, *see* Stress deviator, invariants of  
 Jaumann rate of stress, 619
- Kinematic hardening, 185, 257, 448  
 at finite strains, 633  
 Kinematically admissible displacements set, 79  
 discretised, 86  
 Kirchhoff stress, 67  
 Kuhn-Tucker optimality conditions, 170
- Lagrangian strain, 53  
 Lagrangian triad, 52  
 LATIN Method, 101  
 LBB condition, 687  
 Left Cauchy-Green strain tensor, *see* Cauchy-Green strain tensors  
 Left stretch tensor, *see* Stretch tensors  
 Lemaitre-Chaboche viscoplasticity model, 449  
 Lie derivative, 585  
 Limit load, *see* Plastic collapse problems  
 Line-search, 200, 431, 433, 489, 490, 501, 720  
 Linear elasticity, 93  
 Linear hardening, 182, 223, 244, 261  
 Linearisation, 38  
 in infinite-dimensional functional spaces, 39  
 Linearised finite element equilibrium equation, *see* Discretised virtual work equation, linearised  
 Load factor, 96  
 Load-stiffness matrix, *see* Stiffness matrix, load stiffness  
 Loading/unloading conditions, 145, 150  
 for multisurface models, 157  
 Lode angle, 161  
 Logarithmic strain tensor, 54, 528, 582
- Macauley bracket, 505  
 Master damage curve, 560, 564  
 Material description, 44  
 Material field, 44  
 Material gradient, 46  
 Material objectivity, 70, 520, 619  
 Material stiffness, *see* Stiffness matrix, material  
 Material symmetry, 71, 521  
 Material tangent modulus, *see* Consistent tangent operator, material  
 Material time derivative, 46  
 Mathematical programming, 210  
 Matrix notation in finite elements, 87, 759
- Matrix representation of a tensor, 21  
 Maximum plastic dissipation, principle of, 170, 453  
 at large strains, 589  
 Midpoint method, 203, 213, 458, 752  
 Mixed hardening, 189, 257  
 Modified Newton methods, 99  
 Mohr circle, 164  
 Momentum balance, 67  
 Mooney-Rivlin material, 525  
 Motion, 42  
 Mullins effect, 557  
 Multiplicative decomposition of the deformation gradient, 578  
 Multivector return mapping, *see* Return mapping, multivector
- Natural boundary condition, 79  
 neo-Hookean material, 525  
 Newton-Raphson Method, 96, 97, 198  
 with combined line-search, *see* Line-search  
 with improved initial guess, 200, 484  
 Nodal displacements vector, 87  
 Nominal stress, *see* Stress, first Piola-Kirchhoff  
 Nonlinear hardening, 182  
 Norm of a tensor, 22  
 Norm of a vector, 17  
 Normal dissipativity, 74, 451  
 Norton creep law, 449, 474, 723  
 Numerical examples  
 damage mechanics  
 damageable rubber balloon, 569  
 fracturing of a cylindrical notched specimen, 493  
 finite strain hyperelasticity  
 annular plate, 547  
 Cook's membrane, 656  
 elastomeric bead compression, 556  
 flat membranes inflation, 552  
 perforated rubber sheet, 547  
 rubber cylinder compression, 555  
 rugby ball, 551  
 spherical rubber balloon, 550  
 finite strain plasticity  
 bending of a V-notched Tresca bar, 606  
 double-notched specimen, 658  
 necking of a cylindrical bar, 607  
 perforated plate, 613  
 plane strain localisation, 611  
 thin sheet forming, 614  
 unconstrained single element, 660  
 upsetting of a cylindrical billet, 661

- finite strain single crystal plasticity  
 crystal shearing, 710  
 symmetric rectangular strip, 717  
 unsymmetric rectangular strip, 720  
 infinitesimal plasticity  
 circular plate, 250  
 circular-footing, 350  
 concrete shear wall, 391  
 double-notched specimen, 255  
 end-loaded cantilever, 387  
 perforated plate, 390, 469  
 plate with circular hole, 387  
 pressurised cylinder, 244  
 pressurised spherical shell, 247  
 slope stability, 351  
 strip footing, 252, 346  
 tapered cantilever, 344  
 V-notched bar, 343  
 viscoplasticity  
 creep of a single crystal, 726  
 notched specimen, 467  
 perforated plate, 469
- Objective rate, 74  
 Objective stress rates, 619  
 Observer change, 70  
 Ogden material, 527  
 in plane stress, 531  
 Oldroyd rate of stress, 620  
 Operator split method, 201  
 Orthogonal tensor, 23  
 Orthonormal basis, 18  
 Out-of-balance force vector, *see* Residual vector
- Perfect plasticity, *see* Plasticity models, perfectly plastic  
 Perić viscoplastic model, 438, 724  
 Permanent strain, *see* Plastic strain  
 Perzyna viscoplastic model, 448, 724  
 Piola-Kirchhoff stress, *see* First Piola-Kirchhoff stress  
 Plane stress assumption, 357  
 Plane stress elasticity, *see* Elasticity, plane stress  
 Plane stress enforcement  
 in finite hyperelasticity, 530  
 in finite strain plasticity, 604  
 in linear elasticity, 359  
 in plasticity, 360, 361, 367  
 Plane stress hyperelasticity, 530  
 Plastic anisotropy, 414  
 Plastic collapse problems, 244, 247, 250, 252, 255, 343, 344, 346, 350, 351, 387, 390, 391
- Plastic deformation gradient, 578  
 Plastic dilatancy, *see* Dilatancy  
 Plastic dissipation, 149, 451  
 Plastic flow, 140  
 Plastic flow rule, *see* Flow rule  
 Plastic intermediate configuration, 575  
 Plastic multiplier, 144  
 determination of, 146, 152, 577  
 Plastic rotation, 579  
 Plastic spin, 581  
 Plastic strain, 143, 148  
 volumetric, 175, 176, 405, 412, 422, 588  
 Plastic stretch, 575, 579  
 Plastic stretching, 581  
 spatial, 582  
 Plastic velocity gradient, 580  
 Plastic work, 181  
 Plastic yielding, *see* Plastic flow  
 Plastically admissible stresses, 143  
 set of, 150, 583  
 Plasticity models (general):  
 associative, 152  
 finite strains  
 general hyperelastic-based  
 multiplicative, 578  
 hypoelastic-based, 615  
 in plane stress, 601  
 Jaumann rate-based, 622  
 one-dimensional, 575  
 single crystal, 694  
 multisurface, 156  
 one-dimensional, 141-147  
 perfectly plastic, 177  
 plane stress-projected, 360, 370, 601  
 three-dimensional, 148-157  
 Timoshenko beam, 399  
 Polar decomposition, 28  
 Polycrystalline metal, 414, 472  
 Position vector, 18  
 Positive definite tensor, 23  
 Prager kinematic hardening law, 186, 448  
 at finite strains, 635, 645  
 Prandtl-Reuss flow rule, *see* Flow rule, Prandtl-Reuss  
 Principal axis, 26  
 Principal direction, *see* Principal axis  
 Principal invariants, 27  
 Principal stresses, 63, 67  
 Principal stretches, 52  
 Principal value, *see* Eigenvalue  
 Product rule, 37  
 Proper orthogonal tensor, 23  
 Proportional loading, 96

Quasi-Newton methods, 101  
 BFGS scheme, 101

Rate of deformation tensor, *see* Stretching tensor

Rate-dependence, 435, 436, 441

Reference map, 43

Relative effective stress, 448

Relative strain, 560, 563

Relative stress tensor, 185, 257

Relative yield stress, 415, 421

Relaxation, *see* Stress relaxation

Relaxation test, 436

Residual vector, 97

Resultant forces, 397

Return mapping, 196  
 closed form, 223, 261, 300, 327  
 in principal stress space, 269, 298, 599  
 multivector, 270, 298, 700, 707  
 viscoplastic, 456

Right Cauchy-Green strain tensor, *see* Cauchy-Green strain tensors

Right stretch tensor, *see* Stretch tensors

Rigid deformation, 42  
 infinitesimal, 58

Rigid motion, 44

Rigid velocity, 44

Rotated plastic stretching, *see* Plastic stretching, spatial

Rotation tensor, 23

Schmid resolved shear stress, 693

Second Piola-Kirchhoff stress, 66

Second principle of thermodynamics, 68

Second-order tensor, 19

Shape function, 85  
 global, 85

Shear modulus, 93

Shear yield stress, 157

Skew symmetric tensor, 19

Slip system, 692

Slope stability, *see* Numerical examples, infinitesimal plasticity, slope stability

Snap-back, 107

Snap-through, 107

Spatial description, 44

Spatial elasticity tensor, *see* Elasticity tensor, spatial

Spatial field, 44

Spatial gradient, 46

Spatial tangent modulus, *see* Consistent tangent operator, spatial

Spatial time derivative, 46

Spectral decomposition, 25

Spectral theorem, 26

Spin tensor, 55

Stability, 212

State update interface, 127

State update procedure, 123-126, 128, 132, 133, 135, 192

State variables, 72

Static condensation, 676, 687

Stiffness matrix, 97, 192  
 for finite strains, 104  
 for infinitesimal strains, 98  
 for linear elasticity, 94  
 geometric, 106  
 load-stiffness, 106  
 material, 106

Strain deviator, 58, 529, 582

Strain equivalence, hypothesis of, 475, 478, 479

Strain hardening, 178

Strain-displacement matrix, *see* Discrete gradient operator, symmetric

Strain-rate dependence, *see* Rate-dependence

Stress deviator, 64  
 invariants of, 160-161

Stress equivalence, hypothesis of, 476

Stress power, 68

Stress relaxation, 436, 444

Stretch tensors, 49

Stretching tensor, 55

Subdifferential, 154, 453

Subgradient, 154

Symmetric gradient, 57

Symmetric tensor, 19

Symmetry group, 71

Tangent modulus, *see* Consistent tangent operator

Tangent stiffness, *see* Stiffness matrix

Tangential solution, 110

Taylor hardening law, 698

Tensile/compressive split of the stress, 505

Tensor exponential function, 747  
 derivative of, 750

Tensor inverse, 23

Tensor product, 20, 28, 29

Tensor square root, 28

Tensors of higher order, 28

Tertiary creep, *see* Creep, tertiary

Texturing, 414

Thermodynamic determinism, 70

Thermodynamical force, 73, 149

Thermodynamics with internal variables, 71

Thermokinetic process, 69

Timoshenko beam, 396

Trace of a tensor, 22

Transpose, 19

Trapezoidal method, 202, 458

Triaxial shear test, 141

Truesdell rate of stress, 620

Uniaxial tension test, 140, 436

Uniaxial yield stress, 140, 143

Unit vector, 17

Unstable equilibrium, 107

$u/p$  finite elements, 683

Vector product, 24

Velocity, 43

Velocity gradient, 55

Virtual displacements space, 77, 78, 80, 81  
 discretised, 86

Virtual work linearisation  
 under finite deformations, 755  
 under infinitesimal deformations, 753

Virtual work principle, 77  
 discretised, *see* Discretised virtual work equation

infinitesimal, 78

material, 78

spatial, 77

Viscoplastic flow rule, *see* Flow rule, viscoplastic

Viscoplastic integration algorithm  
 general implicit, 454  
 midpoint, 458  
 models with a yield surface, *see* Elastic predictor/return mapping algorithm, for viscoplasticity

trapezoidal, 458

Viscoplastic return mapping, *see* Return mapping, viscoplastic

Viscoplasticity models (general):  
 at finite strains, 605  
 multidimensional general, 450  
 multidimensional von Mises-based, 445  
 one-dimensional, 437  
 single crystal, 721  
 without a yield surface, 448

Viscoplasticity problems, *see* Numerical examples, viscoplasticity

Void volume fraction, 496

Volume change ratio, 48

Volumetric deformation, 49

Volumetric elastic strain energy, 162

Volumetric locking, 647

Volumetric plastic strain, *see* Plastic strain, volumetric

Volumetric strain, 59, 529, 582

von Mises effective (or equivalent) stress, 163

Work hardening, 180

Yield criterion, 143  
 Drucker-Prager, 166  
 isotropic, 158  
 Mohr-Coulomb, 164  
 multisurface representation, 165  
 pressure-insensitive, 158  
 Tresca, 157  
 multisurface representation, 160  
 under finite strains, 583  
 von Mises, 162

Yield function, 143  
 Barlat-Lian, 427, 428  
 capped Drucker-Prager model, 410  
 Drucker-Prager, 167, 324  
 Gurson, 498  
 Hill orthotropic, 414  
 Hoffman orthotropic, 420  
 isotropic, 158  
 Lemaitre damage model, 480  
 modified Cam-Clay, 404  
 Mohr-Coulomb, 164  
 invariant representation, 166  
 Tresca, 158  
 invariant representation, 160  
 von Mises, 163

Yield pressure, *see* Compaction pressure

Yield surface, 150  
 graphical representation of, 159, 416, 697

Zero tensor, 19

Zero vector, 17